

# CTA Standard

**Task Model Description  
(CE TASK 1.0)**

**CTA-2018 R2016**

**(Formerly ANSI/CEA-2018)**

**March 2008**

**Consumer  
Technology  
Association™**

## NOTICE

Consumer Technology Association (CTA)<sup>TM</sup> Standards, Bulletins and other technical publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards, Bulletins and other technical publications shall not in any respect preclude any member or nonmember of the Consumer Technology Association from manufacturing or selling products not conforming to such Standards, Bulletins or other technical publications, nor shall the existence of such Standards, Bulletins and other technical publications preclude their voluntary use by those other than Consumer Technology Association members, whether the standard is to be used either domestically or internationally.

Standards, Bulletins and other technical publications are adopted by the Consumer Technology Association in accordance with the American National Standards Institute (ANSI) patent policy. By such action, the Consumer Technology Association does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard, Bulletin or other technical publication.

This document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this document to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

This document is copyrighted by the Consumer Technology Association (CTA)<sup>TM</sup> and may not be reproduced, in whole or part, without written permission. Federal copyright law prohibits unauthorized reproduction of this document by any means. Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. Requests to reproduce text, data, charts, figures or other material should be made to the Consumer Technology Association (CTA)<sup>TM</sup>.

(Formulated under the cognizance of the CTA **R7 Home Networks Committee**.)

Published by  
©CONSUMER TECHNOLOGY ASSOCIATION 2016  
Technology & Standards Department  
[www.cta.tech](http://www.cta.tech)

All rights reserved

## FOREWORD

This standard was developed under the auspices of the Consumer Electronics Association (CEA) R7 Home Network Committee.

All of the RelaxNG schemas and XML examples in this document have been automatically inserted from files and mechanically checked for syntactic validity.

First time readers are advised to first read the informative introduction in 6.

<b>Contents</b>		<b>Page</b>
1	SCOPE.....	1
2	CONFORMANCE (Informative) .....	1
2.1	Task Model Description.....	2
2.2	Task-Based Application .....	2
2.3	Grounding.....	2
3	REFERENCES.....	2
3.1	Other Standards Used .....	2
3.1.1	RelaxNG .....	2
3.1.2	ECMAScript .....	2
3.2	Normative References .....	2
3.3	Informative References .....	3
3.4	Reference Acquisition .....	3
4	TERM USAGE .....	4
4.1	Applications.....	4
4.2	Use of Shall, Should and May .....	4
4.3	Schemas .....	4
4.4	Namespaces .....	5
4.5	Classes and Instances.....	5
4.6	Functions .....	5
5	DEFINITIONS .....	5
6	INTRODUCTION (Informative).....	6
6.1	Tasks .....	6
6.2	Task Decomposition .....	7
6.3	Task Classes and Instances .....	7
6.4	Task-Based Applications .....	8
6.5	Task Engines .....	8
6.6	Task Generation and Recognition.....	9
6.7	Task Modeling .....	10
7	TASK MODEL DESCRIPTION.....	10
7.1	MIME Type .....	10
7.2	Format and Encoding .....	11
7.3	XML Namespace.....	11
7.4	Root Element .....	11
8	TASK.....	12
8.1	Input and Output Slots .....	13
8.1.1	Datatypes .....	14
8.1.2	Predefined Slots.....	14
8.2	User Intent Concepts.....	15
8.2.1	Predefined Semantic Roles.....	16
8.3	ECMAScript Task Instances .....	17
8.4	Precondition .....	17
8.5	Postcondition .....	17
8.5.1	The 'sufficient' Attribute .....	18
8.6	Side Effects.....	18

9	<b>TASK DECOMPOSITION</b> .....	19
9.1	Step Order .....	21
9.2	Skipping and Repeating Steps .....	21
9.3	Applicability Condition .....	22
9.4	Bindings .....	22
10	<b>GROUNDING</b> .....	24
10.1	Scripts.....	24
10.2	Grounding Queries.....	26
10.2.1	The ‘devices’ Task.....	27
10.2.2	The ‘user’ Task .....	27
10.2.3	The ‘about’ Task .....	27
10.2.4	The ‘task’ Task.....	28
11	<b>RECOMMENDATIONS FOR APPLICATIONS</b> .....	28
11.1	Unknown Elements and Attributes.....	28
11.2	Task Model Ordering.....	28
11.3	Order of Step Execution .....	28
11.4	User Intent Concepts .....	28
11.5	Preconditions.....	28
11.6	Postconditions.....	28
11.7	Non-primitive Datatypes .....	29
11.8	Applicability Conditions .....	29
11.9	Skipping and Repeating Steps.....	29
11.10	Script Execution .....	29
11.10.1	Predefined ‘\$execute’ Function .....	29
11.10.2	Predefined ‘\$getModel’ Function.....	30
11.10.3	Predefined ‘\$occurred’ Function .....	30
11.11	Grounding Queries.....	30
	Annex A (Normative) Complete RelaxNG Schema for Task Model Description .....	31
	Annex B (Informative) Example Task Model.....	35
	Annex C (Normative) UPnP Devices Exposing a Task Model Description.....	38
	Annex D (Normative) URC Targets Exposing a Task Model Description .....	39

## Figures

Figure 1: Conformance to This Standard.....	1
Figure 2: Task Terminology.....	7
Figure 3: Expected Architecture for Using CEA-2018 .....	8
Figure 4: Possible Refinement of Figure 3 with Generic Task Engine .....	9
Figure 5: Dataflow Diagram for BC Decomposition.....	24
Figure 6: Decomposition for playMusic Task.....	35

## Tables

<b>Table 1: RelaxNG Schema for Task Model .....</b>	<b>11</b>
<b>Table 2: RelaxNG Schema for Task.....</b>	<b>12</b>
<b>Table 3: RelaxNG Schema for Input and Output.....</b>	<b>13</b>
<b>Table 4: RelaxNG Schema for User Intent Concepts .....</b>	<b>15</b>
<b>Table 5: RelaxNG Schema for Subtasks.....</b>	<b>19</b>
<b>Table 6: RelaxNG Schema for Step Content .....</b>	<b>20</b>
<b>Table 7: RelaxNG Schema for Scripts.....</b>	<b>25</b>
<b>Table 8: Predefined Task Model for Grounding Queries .....</b>	<b>27</b>
<b>Table 9: RelaxNG Schema for About Document.....</b>	<b>27</b>

# CEA-2018

## Task Model Description


### CE TASK 1.0

## 1 SCOPE

A task model is a formal description of the activities involved in completing a task, including both activities carried out by humans and those performed by machines. This standard defines the semantics and an XML notation for task models relevant to consumer electronics devices. The standard does not depend on any specific home networking technology or infrastructure.

## 2 CONFORMANCE (Informative)

Figure 1 illustrates the conformance approach of this standard. At the center of the diagram is a *task model description*, which is an XML document. A task model description is used by a *task-based application* to guide its interaction with a user. A task model description specifies task classes, and representations of their intent and how high-level tasks can be decomposed into lower-level tasks. A task model description also contains ECMAScript programs which ground primitive tasks to devices via particular networking platforms. This standard defines an XML language for task model descriptions which is independent of task-based applications. See 6 for a further informative introduction tasks and task modeling.



**Figure 1: Conformance to This Standard**

In general, the process of writing (authoring), distributing and using a task model description involves various stakeholders.

There are many different options for writing and distributing a task model description. First, a device manufacturer may write a task model description for their device, and either build it into the device so that it can be retrieved by a task-based application (see [REF 10.2.4]) or distribute it through their web server. Second, the developer of a task-based application may build task model descriptions into their application, or more likely, provide them through their web server. Finally, a third party may write task model descriptions for any device and make it available publicly through a web server.

Task model descriptions from different sources may mutually reference each other. For example, some task model descriptions may serve as “libraries” for specific domains. Similarly, the author of the ECMAScript program used to ground a particular task class (for a particular platform) may be different from the author of the task class specification.